



G-4164


Green Pin® Trawling Shackles

bow shackles with square headed screw pin

- **Material** : bow and pin high tensile steel, Grade 6, quenched and tempered
- **Safety Factor** : MBL equals 6 x WLL
- **Standard** : meets performance requirements of US Fed. Spec. RR-C-271, Grade A
- **Finish** : hot dipped galvanized
- **Certification** : at no extra charges this product can be supplied with a works certificate, certificate of basic raw material, manufacturer test certificate and/or EC Declaration of Conformity

working load limit	diameter bow	diameter pin	diameter eye	width eye	width inside	length inside	width bow	length bow	length bolt	width bolt	width bolt head	weight each
tons	a	b	c	d	e	f	g	h	i	j	k	kg
2	13.5	16	34	13.5	22	51	32	91	58	63	22	0.34
3.25	16	19	40	16	27	64	43	114	71	79	27	0.63
4.75	19	22	47	19	31	76	51	136	82	94	32	1
6.5	22	25	53	22	36	83	58	157	93	107	32	1.44
8.5	25	28	60	25	43	95	68	176	108	124	36	2.21
9.5	28	32	67	28	47	108	75	197	120	137	41	3.18
12	32	35	74	32	51	115	83	218	137	154	50	4.32
13.5	35	38	80	35	57	133	92	240	149	170	50	5.67
17	38	42	89	38	60	146	99	262	164	183	60	7.36
25	45	50	104	45	74	178	126	314	192	226	60	12.38

In inch

working load limit	diameter bow	diameter pin	diameter eye	width eye	width inside	length inside	width bow	length bow	length bolt	width bolt	width bolt head	weight each
tons	a	b	c	d	e	f	g	h	i	j	k	lbs
2	1/2	5/8	1 11/32	17/32	7/8	2	1 9/32	3 19/32	2 9/32	2 1/2	7/8	0.75
3.25	5/8	3/4	1 19/32	5/8	1 3/32	2 17/32	1 23/32	4 1/2	2 25/32	3 1/8	1 3/32	1.39
4.75	3/4	7/8	1 7/8	3/4	1 1/4	3	2	5 3/8	3 1/4	3 23/32	1 9/32	2.21
6.5	7/8	1	2 3/32	7/8	1 7/16	3 9/32	2 9/32	6 3/16	3 11/16	4 3/16	1 9/32	3.17
8.5	1	1 1/8	2 11/32	1	1 23/32	3 3/4	2 11/16	6 7/8	4 1/4	4 7/8	1 7/16	4.86
9.5	1 1/8	1 1/4	2 5/8	1 1/8	1 7/8	4 1/4	2 15/16	7 3/4	4 3/4	5 3/8	1 5/8	7.01
12	1 1/4	1 3/8	2 29/32	1 9/32	2	4 17/32	3 9/32	8 19/32	5 3/8	6 3/32	1 31/32	9.52
13.5	1 3/8	1 1/2	3 5/32	1 3/8	2 1/4	5 1/4	3 5/8	9 7/16	5 7/8	6 11/16	1 31/32	12.49
17	1 1/2	1 5/8	3 1/2	1 17/32	2 11/32	5 3/4	3 7/8	10 5/16	6 1/2	7 1/4	2 11/32	16.23
25	1 3/4	2	4 1/8	1 25/32	2 29/32	7	5	12 11/32	7 9/16	8 7/8	2 11/32	27.29